

GEMINI

CHOKES



Distribuito da :

WINSHOOT s.r.l.

Via Terranova , 14 - 25086 Rezzato - BS - ITALIA

Tel. +39 030 675883 - Fax +39 030 6873899

e-mail : info@winshoot.it

web : www.strozzatori.it

CAL.12 - ESTERNI - BREDA - FABARM



*****	478.010	LUNGHEZZA	39	mm	da 0,10	Steel Shot
****	478.025	"	56	"	da 0,25	Steel Shot
***	478.050	"	73	"	da 0,50	Steel Shot
**	478.075	"	90	"	da 0,75	Steel Shot
*	478.100	"	107	"	da 1,00	Steel Shot
XF	478.120	"	143	"	da 1,20	Steel Shot



478.R	LUNGHEZZA	105	mm	RIGATO	Only Lead
--------------	-----------	------------	----	---------------	-----------



478.J	LUNGHEZZA	120	mm	PROLUNGA
478.15.J	"	170	"	PROLUNGA



490
COPRIFILETTO



482
ADATTATORE



487
CHIAVE

CAL.20 - ESTERNI - BREDA



****	488.000	LUNGHEZZA	38	mm	da 0,25	Steel Shot
***	488.035	"	63	"	da 0,50	Steel Shot
**	488.070	"	88	"	da 0,75	Steel Shot
*	488.100	"	105	"	da 1,00	Steel Shot



489
COPRIFILETTO



491
ADATTATORE



492
CHIAVE

CAL.12 - ESTERNI - BENELLI - FRANCHI



*****	480.4.01	LUNGHEZZA	39	mm	da 0,10	Steel Shot
****	480.7.02	"	70	"	da 0,25	Steel Shot
***	480.7.05	"	"	"	da 0,50	Steel Shot
**	480.7.07	"	"	"	da 0,75	Only Lead
*	480.7.10	"	"	"	da 1,00	Only Lead



***	480.050	LUNGHEZZA	120	mm	da 0,50	Steel Shot
**	480.075	"	"	"	da 0,75	Steel Shot
*	480.100	"	"	"	da 1,00	Steel Shot



XF	480.120	LUNGHEZZA	170	mm	da 1,20	Only Lead
-----------	----------------	-----------	------------	----	---------	-----------



480.R	LUNGHEZZA	105	mm	RIGATO	Only Lead
--------------	-----------	------------	----	---------------	-----------



480.J	LUNGHEZZA	120	mm	PROLUNGA
480.15.J	LUNGHEZZA	170	"	PROLUNGA



490.F
COPRIFILETTO



482.F
ADATTATORE



487.F
CHIAVE

**CAL.12 - MOBILCHOKE - BERETTA - BENELLI - BRED A - BERNARDELLI - FRANCHI -
 CHAPUIS ARMES - STOEGER - MOSSBERG - LEGACY - CENTURY ARMS - STEVENS -
 SMITH & WESSON - CHARLES DAY - TRADITIONS - TRI STAR - LAURONA ZABALA -
 BLACK DIAMOND - HATSAN**



SK	479.SK	INTERNO	50 mm	skeet	Steel Shot
*****	479.010	"	" "	da 0,10	Steel Shot
****	479.025	"	" "	da 0,25	Steel Shot
***	479.050	"	" "	da 0,50	Steel Shot
**	479.075	"	" "	da 0,75	Only Lead
*	479.100	"	" "	da 1,00	Only Lead
XF	479.120	"	" "	da 1,20	Only Lead



SK	200.SK	PORTED	71 mm	skeet	Steel Shot
*****	200.010	"	" "	da 0,10	Steel Shot
****	200.025	"	" "	da 0,25	Steel Shot
***	200.050	"	" "	da 0,50	Steel Shot
**	200.075	"	" "	da 0,75	Only Lead
*	200.100	"	" "	da 1,00	Only Lead
XF	200.120	"	" "	da 1,20	Only Lead



SK	202.SK	IN/OUT + 20	71 mm	skeet	Steel Shot
*****	202.010	"	" "	da 0,10	Steel Shot
****	202.025	"	" "	da 0,25	Steel Shot
***	202.050	"	" "	da 0,50	Steel Shot
**	202.075	"	" "	da 0,75	Steel Shot
*	202.100	"	" "	da 1,00	Steel Shot
XF	202.120	"	" "	da 1,20	Only Lead



****	501.025	IN/OUT + 55	105 mm	da 0,25	Steel Shot
***	501.050	"	" "	da 0,50	Steel Shot
**	501.075	"	" "	da 0,75	Steel Shot
*	501.100	"	" "	da 1,00	Steel Shot
XF	501.120	"	" "	da 1,20	Steel Shot



***	515.050	IN/OUT + 100	150 mm	da 0,50	Steel Shot
**	515.075	"	" "	da 0,75	Steel Shot
*	515.100	"	" "	da 1,00	Steel Shot
XF	515.120	"	" "	da 1,20	Steel Shot



515.J **PROLUNGA** **150** mm



500.R **RIGATO** **71** mm Only Lead

CAL.12 - CRIO - BORE 18,30 / 18,40 - BENELLI - FRANCHI



SK	300.SK	INTERNO	70 mm	skeet	Steel Shot
*****	300.010	"	" "	da 0,10	Steel Shot
****	300.025	"	" "	da 0,25	Steel Shot
***	300.050	"	" "	da 0,50	Steel Shot
**	300.075	"	" "	da 0,75	Only Lead
*	300.100	"	" "	da 1,00	Only Lead
XF	300.120	"	" "	da 1,20	Only Lead



SK	309.SK	PORTED	91 mm	skeet	Steel Shot
*****	309.010	"	" "	da 0,10	Steel Shot
****	309.025	"	" "	da 0,25	Steel Shot
***	309.050	"	" "	da 0,50	Steel Shot
**	309.075	"	" "	da 0,75	Only Lead
*	309.100	"	" "	da 1,00	Only Lead
XF	309.120	"	" "	da 1,20	Only Lead



SK	302.SK	IN/OUT + 20	91 mm	skeet	Steel Shot
*****	302.010	"	" "	da 0,10	Steel Shot
****	302.025	"	" "	da 0,25	Steel Shot
***	302.050	"	" "	da 0,50	Steel Shot
**	302.075	"	" "	da 0,75	Only Lead
*	302.100	"	" "	da 1,00	Only Lead
XF	302.120	"	" "	da 1,20	Only Lead



***	312.050	IN/OUT + 55	125 mm	da 0,50	Steel Shot
**	312.075	"	" "	da 0,75	Steel Shot
*	312.100	"	" "	da 1,00	Steel Shot



***	317.050	IN/OUT + 100	170 mm	da 0,50	Steel Shot
**	317.075	"	" "	da 0,75	Steel Shot
*	317.100	"	" "	da 1,00	Steel Shot



317.J	PROLUNGA	170 mm
--------------	-----------------	---------------



300.R	RIGATO	91 mm	Only Lead
--------------	---------------	--------------	-----------

CAL.12 - OPTIMA - BORE 18,60 - BERETTA



SK	PBO-F-SK	INTERNO	70 mm	skeet	Steel Shot
*****	PBO-F-C	"	" "	da 0,10	Steel Shot
****	PBO-F-IC	"	" "	da 0,25	Steel Shot
***	PBO-F-M	"	" "	da 0,50	Steel Shot
**	PBO-F-IM	"	" "	da 0,75	Only Lead
*	PBO-F-F	"	" "	da 1,00	Only Lead
XF	PBO-F-XF	"	" "	da 1,20	Only Lead



SK	PBO-P-SK	PORTED	91 mm	skeet	Steel Shot
*****	PBO-P-C	"	" "	da 0,00	Steel Shot
****	PBO-P-IC	"	" "	da 0,25	Steel Shot
LM	PBO-P-LM	"	" "	da 0,38	Steel Shot
***	PBO-P-M	"	" "	da 0,50	Steel Shot
**	PBO-P-IM	"	" "	da 0,63	Only Lead
LF	PBO-P-LF	"	" "	da 0,76	Only Lead
*	PBO-P-F	"	" "	da 0,89	Only Lead
XF	PBO-P-XF	"	" "	da 1,02	Only Lead



SK	PBO-E2-SK	IN/OUT + 20	91 mm	skeet	Steel Shot
*****	PBO-E2-C	"	" "	da 0,00	Steel Shot
****	PBO-E2-IC	"	" "	da 0,25	Steel Shot
LM	PBO-E2-LM	"	" "	da 0,38	Steel Shot
***	PBO-E2-M	"	" "	da 0,50	Steel Shot
**	PBO-E2-IM	"	" "	da 0,63	Only Lead
LF	PBO-E2-LF	"	" "	da 0,76	Only Lead
*	PBO-E2-F	"	" "	da 0,89	Only Lead
XF	PBO-E2-XF	"	" "	da 1,02	Only Lead



****	PBO-E5-IC	IN/OUT + 55	125 mm	da 0,25	Steel Shot
***	PBO-E5-M	"	" "	da 0,50	Steel Shot
**	PBO-E5-IM	"	" "	da 0,75	Steel Shot
*	PBO-E5-F	"	" "	da 1,00	Steel Shot
XF	PBO-E5-XF	"	" "	da 1,20	Steel Shot



PBO.J **PROLUNGA** **170** mm



300.R **RIGATO** **91** mm Only Lead

C.12 - OPTIMA - BERETTA - GREYSTONE BORE 18,20



*****	PBOG-P-C	PORTED	91 mm	da 0,10	Steel Shot
****	PBOG-P-IC	"	" "	da 0,25	Steel Shot
***	PBOG-P-M	"	" "	da 0,50	Steel Shot
**	PBOG-P-IM	"	" "	da 0,75	Only Lead
*	PBOG-P-F	"	" "	da 1,00	Only Lead



*****	PBOG-E2-C	IN/OUT + 20	91 mm	da 0,10	Steel Shot
****	PBOG-E2-IC	"	" "	da 0,25	Steel Shot
***	PBOG-E2-M	"	" "	da 0,50	Steel Shot
**	PBOG-E2-IM	"	" "	da 0,75	Only Lead
*	PBOG-E2-F	"	" "	da 1,00	Only Lead



***	PBOG-E5-M	IN/OUT + 55	125 mm	da 0,50	Steel Shot
**	PBOG-E5-IM	"	" "	da 0,75	Steel Shot
*	PBOG-E5-F	"	" "	da 1,00	Steel Shot



PBOG.J PROLUNGA 170 mm

CAL.12 - GAMBA - COSMI



SK	RG-F-SK	INTERNO	70 mm	skeet	Steel Shot
*****	RG-F-C	"	" "	da 0,10	Steel Shot
****	RG-F-IC	"	" "	da 0,25	Steel Shot
***	RG-F-M	"	" "	da 0,50	Steel Shot
**	RG-F-IM	"	" "	da 0,75	Only Lead
*	RG-F-F	"	" "	da 1,00	Only Lead
XF	RG-F-XF	"	" "	da 1,20	Only Lead



SK	RG-P-SK	PORTED	91 mm	skeet	Steel Shot
*****	RG-P-C	"	" "	da 0,00	Steel Shot
****	RG-P-IC	"	" "	da 0,25	Steel Shot
LM	RG-P-LM	"	" "	da 0,38	Steel Shot
***	RG-P-M	"	" "	da 0,50	Steel Shot
**	RG-P-IM	"	" "	da 0,63	Only Lead
LF	RG-P-LF	"	" "	da 0,76	Only Lead
*	RG-P-F	"	" "	da 0,89	Only Lead
XF	RG-P-XF	"	" "	da 1,02	Only Lead

CAL.12 - OPTIMAPLUS - BORE 18,60 - BERETTA



SK	PBOP-F-SK	INTERNO	70 mm	skeet	Steel Shot
*****	PBOP-F-C	"	" "	da 0,10	Steel Shot
****	PBOP-F-IC	"	" "	da 0,25	Steel Shot
***	PBOP-F-M	"	" "	da 0,50	Steel Shot
**	PBOP-F-IM	"	" "	da 0,75	Only Lead
*	PBOP-F-F	"	" "	da 1,00	Only Lead
XF	PBOP-F-XF	"	" "	da 1,20	Only Lead



SK	PBOP-P-SK	PORTED	91 mm	skeet	Steel Shot
*****	PBOP-P-C	"	" "	da 0,10	Steel Shot
****	PBOP-P-IC	"	" "	da 0,25	Steel Shot
***	PBOP-P-M	"	" "	da 0,50	Steel Shot
**	PBOP-P-IM	"	" "	da 0,75	Only Lead
*	PBOP-P-F	"	" "	da 1,00	Only Lead
XF	PBOP-P-XF	"	" "	da 1,20	Only Lead



SK	PBOP-E2-SK	IN/OUT + 20	91 mm	skeet	Steel Shot
*****	PBOP-E2-C	"	" "	da 0,10	Steel Shot
****	PBOP-E2-IC	"	" "	da 0,25	Steel Shot
***	PBOP-E2-M	"	" "	da 0,50	Steel Shot
**	PBOP-E2-IM	"	" "	da 0,75	Steel Shot
*	PBOP-E2-F	"	" "	da 1,00	Steel Shot
XF	PBOP-E2-XF	"	" "	da 1,20	Only Lead



****	PBOP-E5-IC	IN/OUT + 55	125 mm	da 0,25	Steel Shot
***	PBOP-E5-M	"	" "	da 0,50	Steel Shot
**	PBOP-E5-IM	"	" "	da 0,75	Steel Shot
*	PBOP-E5-F	"	" "	da 1,00	Steel Shot



***	PBOP-E10-M	IN/OUT + 100	170 mm	da 0,50	Steel Shot
**	PBOP-E10-IM	"	" "	da 0,75	Steel Shot
*	PBOP-E10-F	"	" "	da 1,00	Steel Shot



PBOP.J PROLUNGA 170 mm



700.R RIGATO 91 mm Only Lead

CAL.12 - CRIOPUS - BORE 18,30 / 18,40 - BENELLI - BREDA - MAROCCHI



SK	700.SK	INTERNO	70 mm	skeet	Steel Shot
*****	700.010	"	" "	da 0,10	Steel Shot
****	700.025	"	" "	da 0,25	Steel Shot
***	700.050	"	" "	da 0,50	Steel Shot
**	700.075	"	" "	da 0,75	Only Lead
*	700.100	"	" "	da 1,00	Only Lead
XF	700.120	"	" "	da 1,20	Only Lead



SK	709.SK	PORTED	91 mm	skeet	Steel Shot
*****	709.010	"	" "	da 0,10	Steel Shot
****	709.025	"	" "	da 0,25	Steel Shot
***	709.050	"	" "	da 0,50	Steel Shot
**	709.075	"	" "	da 0,75	Only Lead
*	709.100	"	" "	da 1,00	Only Lead
XF	709.120	"	" "	da 1,20	Only Lead



SK	702.SK	IN/OUT + 20	91 mm	skeet	Steel Shot
*****	702.010	"	" "	da 0,10	Steel Shot
****	702.025	"	" "	da 0,25	Steel Shot
***	702.050	"	" "	da 0,50	Steel Shot
**	702.075	"	" "	da 0,75	Steel Shot
*	702.100	"	" "	da 1,00	Steel Shot
XF	702.120	"	" "	da 1,20	Only Lead



****	712.025	IN/OUT + 55	125 mm	da 0,25	Steel Shot
***	712.050	"	" "	da 0,50	Steel Shot
**	712.075	"	" "	da 0,75	Steel Shot
*	712.100	"	" "	da 1,00	Steel Shot



***	717.050	IN/OUT + 100	170 mm	da 0,50	Steel Shot
**	717.075	"	" "	da 0,75	Steel Shot
*	717.100	"	" "	da 1,00	Steel Shot



717.J **PROLUNGA** **170** mm



700.R **RIGATO** **91** mm Only Lead

CAL.12 - OPTIMA HP - BORE 18,60 - BERETTA



SK	PBOHP-F-SK	INTERNO	70 mm	skeet	Steel Shot
*****	PBOHP-F-C	"	" "	da 0,10	Steel Shot
****	PBOHP-F-IC	"	" "	da 0,25	Steel Shot
***	PBOHP-F-M	"	" "	da 0,50	Steel Shot
**	PBOHP-F-IM	"	" "	da 0,75	Only Lead
*	PBOHP-F-F	"	" "	da 1,00	Only Lead
XF	PBOHP-F-XF	"	" "	da 1,20	Only Lead



SK	PBOHP-P-SK	PORTED	91 mm	skeet	Steel Shot
*****	PBOHP-P-C	"	" "	da 0,10	Steel Shot
****	PBOHP-P-IC	"	" "	da 0,25	Steel Shot
***	PBOHP-P-M	"	" "	da 0,50	Steel Shot
**	PBOHP-P-IM	"	" "	da 0,75	Only Lead
*	PBOHP-P-F	"	" "	da 1,00	Only Lead
XF	PBOHP-P-XF	"	" "	da 1,20	Only Lead



SK	PBOHP-E2-SK	IN/OUT + 20	91 mm	skeet	Steel Shot
*****	PBOHP-E2-C	"	" "	da 0,10	Steel Shot
****	PBOHP-E2-IC	"	" "	da 0,25	Steel Shot
***	PBOHP-E2-M	"	" "	da 0,50	Steel Shot
**	PBOHP-E2-IM	"	" "	da 0,75	Steel Shot
*	PBOHP-E2-F	"	" "	da 1,00	Steel Shot
XF	PBOHP-E2-XF	"	" "	da 1,20	Only Lead



****	PBOHP-E5-IC	IN/OUT + 55	125 mm	da 0,25	Steel Shot
***	PBOHP-E5-M	"	" "	da 0,50	Steel Shot
**	PBOHP-E5-IM	"	" "	da 0,75	Steel Shot
*	PBOHP-E5-F	"	" "	da 1,00	Steel Shot



***	PBOHP-E10-M	IN/OUT + 100	170 mm	da 0,50	Steel Shot
**	PBOHP-E10-IM	"	" "	da 0,75	Steel Shot
*	PBOHP-E10-F	"	" "	da 1,00	Steel Shot



PBOHP-E10-J	PROLUNGA	170 mm
--------------------	-----------------	---------------



PBOHP-R	RIGATO	91 mm	Only Lead
----------------	---------------	--------------	-----------

**CAL.12 - INVECTOR / BROWNING - MIROKU - CHARLES DAY - FN SLP - STOEGER
MAVERICK ARMS - NEW ENGLAND FIREARMS - SMITH & WESSON - THOMPSON**



SK	BWI-F-SK	INTERNO	37,6 mm	skeet	Steel Shot
*****	BWI-F-C	"	" "	da 0,10	Steel Shot
****	BWI-F-IC	"	" "	da 0,25	Steel Shot
***	BWI-F-M	"	" "	da 0,50	Steel Shot
**	BWI-F-IM	"	" "	da 0,75	Only Lead
*	BWI-F-F	"	" "	da 1,00	Only Lead
XF	BWI-F-XF	"	" "	da 1,20	Only Lead




SK	BWI-P-SK	PORTED	59 mm	skeet	Steel Shot
*****	BWI-P-C	"	" "	da 0,00	Steel Shot
****	BWI-P-IC	"	" "	da 0,25	Steel Shot
LM	BWI-P-LM	"	" "	da 0,38	Steel Shot
***	BWI-P-M	"	" "	da 0,50	Steel Shot
**	BWI-P-IM	"	" "	da 0,63	Only Lead
LF	BWI-P-LF	"	" "	da 0,76	Only Lead
*	BWI-P-F	"	" "	da 0,89	Only Lead
XF	BWI-P-XF	"	" "	da 1,02	Only Lead



SK	BWI-E2-SK	IN/OUT + 20	59 mm	skeet	Steel Shot
*****	BWI-E2-C	"	" "	da 0,00	Steel Shot
****	BWI-E2-IC	"	" "	da 0,25	Steel Shot
LM	BWI-E2-LM	"	" "	da 0,38	Steel Shot
***	BWI-E2-M	"	" "	da 0,50	Steel Shot
**	BWI-E2-IM	"	" "	da 0,63	Steel Shot
LF	BWI-E2-LF	"	" "	da 0,76	Steel Shot
*	BWI-E2-F	"	" "	da 0,89	Steel Shot
XF	BWI-E2-XF	"	" "	da 1,02	Steel Shot



***	BWI-E5-M	IN/OUT + 50	88,4 mm	da 0,50	Steel Shot
**	BWI-E5-IM	"	" "	da 0,75	Steel Shot
*	BWI-E5-F	"	" "	da 1,00	Steel Shot
XF	BWI-E5-XF	"	" "	da 1,20	Steel Shot



***	BWI-E10-M	IN/OUT + 100	138,4 mm	da 0,50	Steel Shot
**	BWI-E10-IM	"	" "	da 0,75	Steel Shot
*	BWI-E10-F	"	" "	da 1,00	Steel Shot



BWI-E10-J PROLUNGA 138,4 mm



BWI.R RIGATO 59 mm Only Lead

CAL.12 - INVECTOR PLUS - BROWNING - MIROKU - WINCHESTER



SK	BWIP-F-SK	INTERNO	60,4 mm	skeet	Steel Shot
*****	BWIP-F-C	"	" "	da 0,10	Steel Shot
*****	BWIP-F-IC	"	" "	da 0,25	Steel Shot
***	BWIP-F-M	"	" "	da 0,50	Steel Shot
**	BWIP-F-IM	"	" "	da 0,75	Only Lead
*	BWIP-F-F	"	" "	da 1,00	Only Lead
XF	BWIP-F-XF	"	" "	da 1,20	Only Lead



SK	BWIP-P-SK	PORTED	81,5 mm	skeet	Steel Shot
*****	BWIP-P-C	"	" "	da 0,00	Steel Shot
*****	BWIP-P-IC	"	" "	da 0,25	Steel Shot
LM	BWIP-P-LM	"	" "	da 0,38	Steel Shot
***	BWIP-P-M	"	" "	da 0,50	Steel Shot
**	BWIP-P-IM	"	" "	da 0,63	Only Lead
LF	BWIP-P-LF	"	" "	da 0,76	Only Lead
*	BWIP-P-F	"	" "	da 0,89	Only Lead
XF	BWIP-P-XF	"	" "	da 1,02	Only Lead



SK	BWIP-E2-SK	IN/OUT + 20	81,5 mm	skeet	Steel Shot
*****	BWIP-E2-C	"	" "	da 0,00	Steel Shot
*****	BWIP-E2-IC	"	" "	da 0,25	Steel Shot
LM	BWIP-E2-LM	"	" "	da 0,38	Steel Shot
***	BWIP-E2-M	"	" "	da 0,50	Steel Shot
**	BWIP-E2-IM	"	" "	da 0,63	Steel Shot
LF	BWIP-E2-LF	"	" "	da 0,76	Steel Shot
*	BWIP-E2-F	"	" "	da 0,89	Steel Shot
XF	BWIP-E2-XF	"	" "	da 1,02	Steel Shot



***	BWIP-E5-M	IN/OUT + 50	111 mm	da 0,50	Steel Shot
**	BWIP-E5-IM	"	" "	da 0,75	Steel Shot
*	BWIP-E5-F	"	" "	da 1,00	Steel Shot
XF	BWIP-E5-XF	"	" "	da 1,20	Steel Shot



***	BWIP-E10-M	IN/OUT + 100	161 mm	da 0,50	Steel Shot
**	BWIP-E10-IM	"	" "	da 0,75	Steel Shot
*	BWIP-E10-F	"	" "	da 1,00	Steel Shot



BWIP-E10-J PROLUNGA 161 mm



BWIP.R RIGATO 81,5 mm Only Lead

CAL.12 - ZOLI - DAKOTA SPORT - SIG ARMS - BREDA (Pegaso)



SK	AZ-P-SK	PORTED	71	mm	skeet	Steel Shot
*****	AZ-P-C	"	"	"	da 0,00	Steel Shot
****	AZ-P-IC	"	"	"	da 0,25	Steel Shot
LM	AZ-P-LM	"	"	"	da 0,38	Steel Shot
***	AZ-P-M	"	"	"	da 0,50	Steel Shot
**	AZ-P-IM	"	"	"	da 0,63	Only Lead
LF	AZ-P-LF	"	"	"	da 0,76	Only Lead
*	AZ-P-F	"	"	"	da 0,89	Only Lead
XF	AZ-P-XF	"	"	"	da 1,02	Only Lead

CAL.12 - PARETE SOTTILE (THIN WALL) - BORE MAX 18,40

FUCILI TRASFORMATI DA STROZZATURA FISSA A VARIABILE



ø 18,50	70S.185	INTERNO	70	mm	0	Steel Shot
ø 18,40	70S.184	"	"	"	1	Steel Shot
ø 18,30	70S.183	"	"	"	2	Steel Shot
ø 18,20	70S.182	"	"	"	3	Steel Shot
ø 18,10	70S.181	"	"	"	4	Steel Shot
ø 18,00	70S.180	"	"	"	5	Steel Shot
ø 17,90	70S.179	"	"	"	6	Only Lead
ø 17,80	70S.178	"	"	"	7	Only Lead
ø 17,70	70S.177	"	"	"	8	Only Lead
ø 17,60	70S.176	"	"	"	9	Only Lead
ø 17,50	70S.175	"	"	"	10	Only Lead
ø 17,40	70S.174	"	"	"	11	Only Lead

CAL.12 - PERAZZI 4ª Generazione - BORE 18,40



ø 18,50	800.185	PORTED	66	mm	-1	Steel Shot
ø 18,40	800.184	"	"	"	0	Steel Shot
ø 18,30	800.183	"	"	"	1	Steel Shot
ø 18,20	800.182	"	"	"	2	Steel Shot
ø 18,10	800.181	"	"	"	3	Steel Shot
ø 18,00	800.180	"	"	"	4	Steel Shot
ø 17,90	800.179	"	"	"	5	Only Lead
ø 17,80	800.178	"	"	"	6	Only Lead
ø 17,70	800.177	"	"	"	7	Only Lead
ø 17,60	800.176	"	"	"	8	Only Lead
ø 17,50	800.175	"	"	"	9	Only Lead
ø 17,40	800.174	"	"	"	10	Only Lead

CAL.12 - PERAZZI 3ª Generazione - BORE 18,40




ø 18,50	801.185	PORTED	61	mm	-1	Steel Shot
ø 18,40	801.184	"	"	"	0	Steel Shot
ø 18,30	801.183	"	"	"	1	Steel Shot
ø 18,20	801.182	"	"	"	2	Steel Shot
ø 18,10	801.181	"	"	"	3	Steel Shot
ø 18,00	801.180	"	"	"	4	Steel Shot
ø 17,90	801.179	"	"	"	5	Only Lead
ø 17,80	801.178	"	"	"	6	Only Lead
ø 17,70	801.177	"	"	"	7	Only Lead
ø 17,60	801.176	"	"	"	8	Only Lead
ø 17,50	801.175	"	"	"	9	Only Lead
ø 17,40	801.174	"	"	"	10	Only Lead

CAL.12 - BAIKAL



****	BA.5.025	IN/OUT + 50	91,5 mm	da 0,25	Steel Shot
***	BA.5.050	"	" "	da 0,50	Steel Shot
**	BA.5.075	"	" "	da 0,75	Steel Shot
*	BA.5.100	"	" "	da 1,00	Steel Shot



**	BA.10.075	IN/OUT + 100	141,5 mm	da 0,75	Steel Shot
*	BA.10.100	"	" "	da 1,00	Steel Shot

C.12 BERETTA - PRIMA SERIE - SENZA FILETTO



SK	100.SK	INTERNO	51 mm	skeet	Steel Shot
*****	100.010	"	" "	da 0,00	Steel Shot
****	100.025	"	" "	da 0,25	Steel Shot
***	100.050	"	" "	da 0,50	Steel Shot
**	100.075	"	" "	da 0,75	Only Lead
*	100.100	"	" "	da 1,00	Only Lead

CHIAVI



509 CHIAVE UNIVERSALE **CAL.12** E **CAL.20**



511 CHIAVE CON PULSCIFILETTO CANNA **CAL.12**
512 CHIAVE CON PULSCIFILETTO CANNA **CAL.20**
28.C CHIAVE CON PULSCIFILETTO CANNA **CAL.28**



514 CHIAVE **CAL.12** CON GUIDA - **SPACCHI OLTRE 2 mm**
513 CHIAVE **CAL.12** CON GUIDA - **SPACCHI FINO A 2 mm**

**CAL.20 - MOBILCHOKE - BERETTA - BENELLI - BRED A - CHAPUIS ARMES -
CHARLES DAY - VERNEY CARRON**



SK	489.SK	INTERNO	50 mm	skeet	Steel Shot
*****	489.010	"	" "	da 0,10	Steel Shot
****	489.025	"	" "	da 0,25	Steel Shot
***	489.050	"	" "	da 0,50	Steel Shot
**	489.075	"	" "	da 0,75	Only Lead
*	489.100	"	" "	da 1,00	Only Lead



SK	507.SK	PORTED	71 mm	skeet	Steel Shot
*****	507.010	"	" "	da 0,10	Steel Shot
****	507.025	"	" "	da 0,25	Steel Shot
***	507.050	"	" "	da 0,50	Steel Shot
**	507.075	"	" "	da 0,75	Only Lead
*	507.100	"	" "	da 1,00	Only Lead



SK	502.SK	IN/OUT + 20	71 mm	skeet	Steel Shot
*****	502.010	"	" "	da 0,10	Steel Shot
****	502.025	"	" "	da 0,25	Steel Shot
***	502.050	"	" "	da 0,50	Steel Shot
**	502.075	"	" "	da 0,75	Steel Shot
*	502.100	"	" "	da 1,00	Steel Shot



****	505.025	IN/OUT + 55	105 mm	da 0,25	Steel Shot
***	505.050	"	" "	da 0,50	Steel Shot
**	505.075	"	" "	da 0,75	Steel Shot
*	505.100	"	" "	da 1,00	Steel Shot



489.J **LUNGHEZZA** **150** mm



489.R **RIGATO** **71** mm Only Lead

CAL.20 - CRIO - BENELLI - FRANCHI



SK	720.SK	INTERNO	70 mm	skeet	Steel Shot
*****	720.010	"	" "	da 0,10	Steel Shot
****	720.025	"	" "	da 0,25	Steel Shot
***	720.050	"	" "	da 0,50	Steel Shot
**	720.075	"	" "	da 0,75	Only Lead
*	720.100	"	" "	da 1,00	Only Lead



SK	729.SK	PORTED	91 mm	skeet	Steel Shot
*****	729.010	"	" "	da 0,10	Steel Shot
****	729.025	"	" "	da 0,25	Steel Shot
***	729.050	"	" "	da 0,50	Steel Shot
**	729.075	"	" "	da 0,75	Only Lead
*	729.100	"	" "	da 1,00	Only Lead



SK	722.SK	IN/OUT + 20	91 mm	skeet	Steel Shot
*****	722.010	"	" "	da 0,10	Steel Shot
****	722.025	"	" "	da 0,25	Steel Shot
***	722.050	"	" "	da 0,50	Steel Shot
**	722.075	"	" "	da 0,75	Steel Shot
*	722.100	"	" "	da 1,00	Steel Shot



***	725.050	IN/OUT + 55	125 mm	da 0,50	Steel Shot
**	725.075	"	" "	da 0,75	Steel Shot
*	725.100	"	" "	da 1,00	Steel Shot



720.J PROLUNGA 170 mm



720.R RIGATO 91 mm Only Lead

CAL.28 - CRIO - BENELLI - FRANCHI



SK	280.SK	INTERNO	70 mm	skeet	Steel Shot
*****	280.010	"	" "	da 0,10	Steel Shot
****	280.025	"	" "	da 0,25	Steel Shot
***	280.050	"	" "	da 0,33	Steel Shot
**	280.075	"	" "	da 0,50	Only Lead
*	280.100	"	" "	da 0,63	Only Lead



***	285.050	IN/OUT + 55	125 mm	da 0,33	Steel Shot
**	285.075	"	" "	da 0,50	Steel Shot
*	285.100	"	" "	da 0,63	Steel Shot



280.J PROLUNGA 170 mm PROLUNGA

CAL.28 - MOBILCHOKE - BERETTA - CHAPUIS ARMES - BERNARDELLI - AKKAR - LAURONA ZABALA - AGM JEAGER - ARMSAN (CRE 8)



SK	MC28.SK	INTERNO	40 mm	skeet	Steel Shot
*****	MC28.010	"	" "	da 0,10	Steel Shot
****	MC28.025	"	" "	da 0,25	Steel Shot
***	MC28.050	"	" "	da 0,33	Steel Shot
**	MC28.075	"	" "	da 0,50	Only Lead
*	MC28.100	"	" "	da 0,63	Only Lead



****	MC285.025	IN/OUT + 50	90 mm	da 0,25	Steel Shot
***	MC285.050	"	" "	da 0,33	Steel Shot
**	MC285.075	"	" "	da 0,50	Steel Shot
*	MC285.100	"	" "	da 0,63	Steel Shot

ACCESSORI



GR10
GRASSO AL SILICONE - 10 gr



SR 35/45
REGOLATORE NASELLO



BOX.5.72
4 STROZZATORI mm 71 max



BOX.5.95
5 STROZZATORI mm 95 max



BOX.5.100
5 STROZZATORI mm 100 max



BOX.8.100
BOX 8 STROZZATORI mm 100 max